

ELECTRONICS PRODUCTS > ENERGY MANAGEMENT PRODUCTS > ALARM ANNUNCIATORS



ALRC-6(24VAC/DC)

Stock Keeping Unit (SKU): 604610

Alarm Control Relay

Commercial Information

| | |
|-----------------------|---------------------|
| Product Sales Code | 604610 |
| Package Unit | 1 pcs. |
| Customs Tariff Number | 853180709000 |

Technical Information

| General | |
|--------------------------|--------------------------------|
| Connection Type | Screw terminal |
| Time Interval | ---- |
| Integrated Buttons | 3 (Horn, Delete, Test) |
| Siren | --- |
| Real Time Data Recording | --- |
| Battery Life | --- |
| Protection Class | IP50 (front)IP20 (back) |
| Weight G | 274 |
| Packaging Quantity | 1 |
| Diagrams | --- |
| DIMENSIONS | --- |
| Power Supply | |
| Frequency | 45-65Hz |
| Consumption | AC/DC 24V ± %30 |

Environmental Conditions

| | |
|----------------------------------|--------------------|
| Operating Temperature | -20°C +60°C |
| Storage Temperature | -40°C +75°C |
| Relative Humidity Non Condensing | Max. 95% |

Communication

| | |
|-----------|------|
| Protocol | ---- |
| Baud Rate | ---- |
| Parity | |
| Stop Bit | |
| Slave Id | |
| Isolation | ---- |

Input Signal

| | |
|---------------|--------------------|
| Voltage | AC / DC 24V |
| Frequency | 45-65Hz |
| Quantity | 6 |
| Response Time | 25±10ms |

Output Connections

| | |
|-----------------------------------|------------------------------------|
| Output Type | Relay |
| Number of Connections | 8 |
| Type | 1 NO (SPST) |
| Max Values Ac | 5A/277V;1385VA |
| Max Values Dc | 5A/30VDC;150W |
| Mechanical Operating Life | =10⁸ operation |
| Electrical Operating Life No Side | 1x10⁵(5A@250VAC) |

Window

| | |
|--------------|-----------------------------|
| Quantity | 6 |
| Color | Red |
| Size Mm | 30.5 x 21.6 |
| Illumination | With 4 pcs. red leds |

| | |
|---------------|--|
| Fast Flashing | 90 Flash / Min. |
| Slow Flashing | --- |
| Marking | Laser printed onto standart tracing paper, using templates provided bu Klemsan Inc. |

DIMENSIONS

| | |
|-----------------------------------|-------------|
| Frontoverall Dimensions Height Mm | 96 |
| Frontoverall Dimensions Width Mm | 96 |
| Panel Cutout Dimensions Height Mm | 89.6 |
| Panel Cutout Dimensions Width Mm | 89.6 |
| Panel Cutout Dimensions Depth Mm | 66 |