

CONNECTORS > MIL-DTL-38999 > SERIES III

# D38999/20WB98SN

**Stock Keeping Unit (SKU):** 930WB98SN

*Wall mount flange type receptacle*

## Commercial Information

| | |
|---|---|
| Product Sales Code | **930WB98SN** |
| Package Unit | **1 pcs.** |

## Technical Information

| PRODUCT SPECIFICATIONS | |
|---|---|
| Continuous Operating Temperature Max. | **175 °C** |
| Continuous Operating Temperature Min. | **65 °C** |
| Features | **MIL-DTL-38999** |
| Connector Type | **Wall Mounted Socket** |
| Housing Size | **11 (B)** |
| Number of Contacts | **6 Ad.** |
| Layout | **B-98** |
| Housing Material | **Aluminium** |
| Housing Colour | **Khaki Green** |
| Housing Coating | **Cadmium** |
| Contact Type | **Soket (6#20)** |
| Cable Diameter | **24,22,20 AWG** |
| Contact Material | **Au/Cu** |
| Sealing Protection | **IP67** |
| Sealing Material | **Silicon** |

| | |
|---|---|
| EMI Shielding | **+** |
| Mating Cycle Life | **500** |
| Polarisation | **N** |
| Service Rating | **I** |

| ELECTRICAL SPECIFICATIONS | |
|---|---|
| Nominal Current | **7,5 A** |
| Operating Voltage (AC) Vrms (Max.) | **1800V AC/DC** |

## Accessories

### CABLE TUBES

Product Code: 939BSB1

**Straight Tube**

Product Code: 939RSB1Y

**90° Straight Tube**

### CRIMPING TOOL



Product Code: M22520-1-01

**M22520/1-01**

### LOCATOR

Product Code: M22520-1-04

**M22520/1-04**

### INSERTION/EXTRACTION TOOL

Product Code: M81969-14-10

**Takma / Insertion**

Product Code: M81969-8-05

**Takma / Insertion**

Product Code: M81969-8-06

**M81969/8-06**

### DUST CAP



Product Code: 933W11R

**D38999/33W11R**

## BACKSHELL



Product Code: 939W881103

**M85049/88-11W03**



Product Code: 939UW11

**Düz Arkalik**



Product Code: 939UW11EMI

**M85049/88D11W03**

Product Code: M85049-38-11W

**M85049/38-09W**

## CONTACT



Product Code: M39029-56-351

**M39029/56-351**