

CONNECTORS > MIL-DTL-38999 > SERIES III

D38999/20WH35SA

Stock Keeping Unit (SKU): 930WH35SA

Wall mount flange type receptacle

Commercial Information

Product Sales Code	**930WH35SA**
Package Unit	**1 pcs.**

Technical Information

PRODUCT SPECIFICATIONS	
Continuous Operating Temperature Max.	**175 °C**
Continuous Operating Temperature Min.	**65 °C**
Features	**MIL-DTL-38999**
Connector Type	**Wall Mounted Socket**
Housing Size	**23(H)**
Number of Contacts	**100 Ad.**
Layout	**H-35**
Housing Material	**Aluminium**
Housing Colour	**Khaki Green**
Housing Coating	**Cadmium**
Contact Type	**Soket (100#22)**
Cable Diameter	**28,26,24,22 AWG**
Contact Material	**Au/Cu**
Sealing Protection	**IP67**
Sealing Material	**Silicon**

EMI Shielding	**+**
Mating Cycle Life	**500**
Polarisation	**A**
Service Rating	**M**

ELECTRICAL SPECIFICATIONS	
Nominal Current	**5 A**
Operating Voltage (AC) Vrms (Max.)	**1300V AC/DC**

Accessories

INSERTION/EXTRACTION TOOL



Product Code: M81969-8-03

Takma / Insertion

Product Code: M81969-8-04

M81969-8-04

Product Code: M81969/14-01

M81969/14-01

CRIMPING TOOL

Product Code: M22520-2-01

M22520/2-01

LOCATOR

Product Code: M22520-2-09

M22520/2-09

CABLE TUBES



Product Code: 939BSB4

Straight Tube



Product Code: 939RSB4Y

90° Tube

DUST CAP



Product Code: 933W23R

D38999/33W23R

BACKSHELL



Product Code: 939W882303

M85049/88-23W03



Product Code: 939UW23EMI

M85049/88D23W03



Product Code: 939UW23

Düz Arkalik



Product Code: M85049-38-23W

M85049/38-23W

CONTACT



Product Code: M39029-56-348

M39029/56-348