

CONNECTORS > MIL-DTL-38999 > SERIES III

# D38999/24WC8SD

**Stock Keeping Unit (SKU):** 934WC8SD

*Wall maunt jamnut receptacle*

## Commercial Information

| | |
|---|---|
| Product Sales Code | **934WC8SD** |
| Package Unit | **1 pcs.** |

## Technical Information

| PRODUCT SPECIFICATIONS | |
|---|---|
| Continuous Operating Temperature Max. | **175 °C** |
| Continuous Operating Temperature Min. | **65 °C** |
| Features | **MIL-DTL-38999** |
| Connector Type | **Screwed Socket** |
| Housing Size | **13(C)** |
| Number of Contacts | **8 Ad.** |
| Layout | **C-8** |
| Housing Material | **Aluminium** |
| Housing Colour | **Khaki Green** |
| Housing Coating | **Cadmium** |
| Contact Type | **Soket (8#20)** |
| Cable Diameter | **24,22,20 AWG** |
| Contact Material | **Au/Cu** |

| | |
|---|---|
| Sealing Protection | **IP67** |
| Sealing Material | **Silicon** |
| EMI Shielding | **+** |
| Mating Cycle Life | **500** |
| Polarisation | **D** |
| Service Rating | **I** |

## ELECTRICAL SPECIFICATIONS

| | |
|---|---|
| Nominal Current | **7,5 A** |
| Operating Voltage (AC) Vrms (Max.) | **1800V AC/DC** |

# Accessories

### CRIMPING TOOL



Product Code: M22520-1-01

**M22520/1-01**

### LOCATOR

Product Code: M22520-1-04

**M22520/1-04**

### INSERTION/EXTRACTION TOOL

Product Code: M81969-14-10

**Takma / Insertion**

Product Code: M81969-8-05

**Takma / Insertion**

Product Code: M81969-8-06

**M81969/8-06**

### BACKSHELL



Product Code: 939W881303

**M85049/88-13W03**



Product Code: 939UW13

**Düz Arkalik**



Product Code: 939UW13EMI

**M85049/88D13W03**



Product Code: M85049-38-13W

**M85049/38-13W**

## CABLE TUBES



Product Code: 939BSB2

**Straight Tube**



Product Code: 939RSB2Y

**90° Straight Tube**

## CONTACT



Product Code: M39029-56-351

**M39029/56-351**

## DUST CAP

Product Code: 933W13N

**D38999/33W13N**