

CONNECTORS > MIL-DTL-38999 > SERIES III

# D38999/24WJ24SC

**Stock Keeping Unit (SKU):** 934WJ24SC

*Wall maunt jamnut receptacle*

## Commercial Information

| | |
|---|---|
| Product Sales Code | **934WJ24SC** |
| Package Unit | **1 pcs.** |

## Technical Information

| PRODUCT SPECIFICATIONS | |
|---|---|
| Continuous Operating Temperature Max. | **175 °C** |
| Continuous Operating Temperature Min. | **65 °C** |
| Features | **MIL-DTL-38999** |
| Connector Type | **Screwed Socket** |
| Housing Size | **25(J)** |
| Number of Contacts | **24 Ad.** |
| Layout | **j-24** |
| Housing Material | **Aluminium** |
| Housing Colour | **Khaki Green** |
| Housing Coating | **Cadmium** |
| Contact Type | **Socket (12#16) (12#12)** |
| Cable Diameter | **20,18,16,14,12 AWG** |
| Contact Material | **Au/Cu** |

| | |
|---|---|
| Sealing Protection | **IP67** |
| Sealing Material | **Silicon** |
| EMI Shielding | **+** |
| Mating Cycle Life | **500** |
| Polarisation | **C** |
| Service Rating | **I** |

| ELECTRICAL SPECIFICATIONS | |
|---|---|
| Nominal Current | **13 A** |
| Operating Voltage (AC) Vrms (Max.) | **1800V AC/DC** |

## Accessories

### CRIMPING TOOL



Product Code: M22520-1-01

**M22520/1-01**

### LOCATOR

Product Code: M22520-1-04

**M22520/1-04**

### INSERTION/EXTRACTION TOOL

Product Code: M81969-8-07

**M81969-8-07**

Product Code: M81969-8-08

**M81969-8-08**

Product Code: M81969-14-03

**M81969-14-03**



Product Code: M81969-8-09

**M81969-8-09**



Product Code: M81969-8-10

**M81969-8-10**



Product Code: M81969-14-04

**M81969-14-04**

### CONTACT

Product Code: M39029-56-352

**M39029/56-352**



Product Code: M39029-56-353

**M39029/56-353**

## BACKSHELL



Product Code: 939W882503

**M85049/88-25W03**



Product Code: 939UW25

**Düz Arkalik**



Product Code: 939UW25EMI

**M85049/88D25W03**



Product Code: M85049-38-25W

**M85049/38-25W**

## CABLE TUBES



Product Code: 939BSB5

**Düz Makaron**



Product Code: 939RSB5Y

**90° Makaron**

## DUST CAP



Product Code: 933W25N

**D38999/33W25N**