

CONNECTORS > MIL-DTL-38999 > SERIES III

D38999/26WA35PB

Stock Keeping Unit (SKU): 936WA35PB

Cable type connector

Commercial Information

Product Sales Code	**936WA35PB**
Package Unit	**1 pcs.**

Technical Information

PRODUCT SPECIFICATIONS	
Continuous Operating Temperature Max.	**175 °C**
Continuous Operating Temperature Min.	**65 °C**
Features	**MIL-DTL-38999**
Connector Type	**Plug**
Housing Size	**9 (A)**
Number of Contacts	**6 Ad.**
Layout	**A-35**
Housing Material	**Aluminium**
Housing Colour	**Khaki Green**
Housing Coating	**Cadmium**
Contact Type	**Pin (6#22D)**
Cable Diameter	**22,24,26 &28 AWG**
Contact Material	**Au/Cu**

Sealing Protection	**IP67**
Sealing Material	**Silicon**
EMI Shielding	**+**
Mating Cycle Life	**500**
Polarisation	**B**
Service Rating	**M**

ELECTRICAL SPECIFICATIONS	
Nominal Current	**5 A**
Operating Voltage (AC) Vrms (Max.)	**1000V AC/DC**

Accessories

INSERTION/EXTRACTION TOOL



Product Code: M81969-8-03

Takma / Insertion

Product Code: M81969-8-04

M81969-8-04

Product Code: M81969/14-01

M81969/14-01

BACKSHELL



Product Code: 939W880903

M85049/88-09W03



Product Code: 939UW09EMI

M85049/88D09W03



Product Code: 939UW09

D38999 UNI ARKALIK 09W03

Product Code: M85049/38-09W

M85049/38-09W

CABLE TUBES

Product Code: 939BSB1

Straight Tube

Product Code: 939RSB1Y

90° Straight Tube

CONTACT

Product Code: M39029-58-360

M39029/58-360

CRIMPING TOOL

Product Code: M22520-2-01

M22520/2-01

LOCATOR

Product Code: M22520-2-09

M22520/2-09

DUST CAP



Product Code: 932W09N

D38999/32W09N



Product Code: 932W09R

D38999/32W09R