

CONNECTORS > MIL-DTL-38999 > SERIES III

D38999/26WC35PE

Stock Keeping Unit (SKU): 936WC35PE

Cable type connector

Commercial Information

Product Sales Code	**936WC35PE**
Package Unit	**1 pcs.**

Technical Information

PRODUCT SPECIFICATIONS	
Continuous Operating Temperature Max.	**175 °C**
Continuous Operating Temperature Min.	**65 °C**
Features	**MIL-DTL-38999**
Connector Type	**Plug**
Housing Size	**13(C)**
Number of Contacts	**22 Ad.**
Layout	**C-35**
Housing Material	**Aluminium**
Housing Colour	**Khaki Green**
Housing Coating	**Cadmium**
Contact Type	**Pin (22#22D)**
Cable Diameter	**28,26,24,22 AWG**
Contact Material	**Au/Cu**

Sealing Protection	**IP67**
Sealing Material	**Silicon**
EMI Shielding	**+**
Mating Cycle Life	**500**
Polarisation	**E**
Service Rating	**M**

ELECTRICAL SPECIFICATIONS	
Nominal Current	**5 A**
Operating Voltage (AC) Vrms (Max.)	**1000 AC/DC**

Accessories

INSERTION/EXTRACTION TOOL



Product Code: M81969-8-03

Takma / Insertion

Product Code: M81969-8-04

M81969-8-04

Product Code: M81969/14-01

M81969/14-01

CONTACT

Product Code: M39029-58-360

M39029/58-360

CRIMPING TOOL

Product Code: M22520-2-01

M22520/2-01

LOCATOR

Product Code: M22520-2-09

M22520/2-09

BACKSHELL



Product Code: 939W881303

M85049/88-13W03



Product Code: 939UW13

Düz Arkalik



Product Code: 939UW13EMI

M85049/88D13W03



Product Code: M85049-38-13W

M85049/38-13W

CABLE TUBES



Product Code: 939BSB2

Straight Tube



Product Code: 939RSB2Y

90° Straight Tube

DUST CAP



Product Code: 932W13N

D38999/32W13N



Product Code: 932W13R

D38999/32W13R