

Gövde	A (maks)	B Dış	C (maks)
09	31.00	M12*1-6g	21.80
11	31.00	M15*1-6g	25.00
13	31.00	M18*1-6g	29.40
15	31.00	M20*1-6g	32.40
17	31.00	M25*1-6g	35.60
19	31.00	M28*1-6g	38.50
21	31.00	M31*1-6g	41.70
23	31.00	M34*1-6g	44.90
25	31.00	M37*1-6g	48.00

CONNECTORS > MIL-DTL-38999 > SERIES III

D38999/26WE35PD

Stock Keeping Unit (SKU): 936WE35PD

Cable type connector

Commercial Information

Product Sales Code	**936WE35PD**
Package Unit	**1 pcs.**

Technical Information

PRODUCT SPECIFICATIONS	
Continuous Operating Temperature Max.	**175 °C**
Continuous Operating Temperature Min.	**65 °C**
Features	**MIL-DTL-38999**
Connector Type	**Plug**
Housing Size	**17(E)**
Number of Contacts	**55 Ad.**
Layout	**E-35**
Housing Material	**Aluminium**
Housing Colour	**Khaki Green**
Housing Coating	**Cadmium**
Contact Type	**Pin (55#22)**
Cable Diameter	**28.26,24,22 AWG**
Contact Material	**Au/Cu**
Sealing Protection	**IP67**
Sealing Material	**Silicon**
EMI Shielding	**+**

Mating Cycle Life	**500**
Polarisation	**D**
Service Rating	**I**

ELECTRICAL SPECIFICATIONS	
Nominal Current	**5 A**
Operating Voltage (AC) Vrms (Max.)	**1000V AC/DC**

Accessories

INSERTION/EXTRACTION TOOL



Product Code: M81969-8-03

Takma / Insertion

Product Code: M81969-8-04

M81969-8-04

Product Code: M81969/14-01

M81969/14-01

CONTACT

Product Code: M39029-58-360

M39029/58-360

CRIMPING TOOL

Product Code: M22520-2-01

M22520/2-01

LOCATOR

Product Code: M22520-2-09

M22520/2-09

BACKSHELL



Product Code: 939W881703

M85049/88-17W03



Product Code: 939UW17EMI

M85049/88D17W03



Product Code: 939UW17

Düz Arkalik



Product Code: M85049-38-17W

M85049/38-17W

CABLE TUBES



Product Code: 939BSB3

Straight Tube



Product Code: 939RSB3Y

90° Tube

DUST CAP



Product Code: 932W17N

D38999/32W17N



Product Code: 932W17R

D38999/32W17R