

ELECTRONICS PRODUCTS > ENERGY MANAGEMENT PRODUCTS > ALARM ANNUNCIATORS



LSK-4(110VAC/DC)

Stock Keeping Unit (SKU): 583043

Digital Alarm Annunciator

Commercial Information

| | |
|-------------------------------------|---------------------|
| Product Sales Code | 583043 |
| Package Unit | 1 pcs. |
| Customs Tariff Number | 853649000029 |
| Weight Per Unit Including Packaging | 218g kg. |

Technical Information

| General | |
|--------------------------|--------------------------------|
| Connection Type | Screw terminal |
| Time Interval | --- |
| Integrated Buttons | --- |
| Siren | --- |
| Real Time Data Recording | --- |
| Battery Life | --- |
| Protection Class | IP50 (front)IP20 (back) |
| Weight G | 218 |
| Packaging Quantity | 1 |
| Diagrams | --- |
| DIMENSIONS | --- |
| Power Supply | |
| Voltage | --- |

| | |
|-----------|-----|
| Frequency | --- |
|-----------|-----|

Environmental Conditions

| | |
|----------------------------------|--------------------|
| Operating Temperature | -20°C +70°C |
| Storage Temperature | -30°C +80°C |
| Relative Humidity Non Condensing | Max. 95% |

Communication

| | |
|-----------|-----|
| Protocol | --- |
| Baud Rate | --- |
| Parity | --- |
| Stop Bit | |
| Slave Id | |
| Isolation | |

Input Signal

| | |
|---------------|---|
| Voltage | 110V AC / DC |
| Frequency | Min. 45 Hz (for AC signal input)Min. 45 Hz (for AC signal input) |
| Quantity | 4 |
| Response Time | Maks. 10ms |

Output Connections

| | |
|-----------------------------------|--|
| Output Type | |
| Number of Connections | |
| Type | |
| Max Values Ac | |
| Max Values Dc | |
| Mechanical Operating Life | |
| Electrical Operating Life No Side | |

Window

| | |
|----------|------------|
| Quantity | 4 |
| Color | Red |

| | |
|---------------|--|
| Size Mm | 34.85x32 |
| Illumination | 9 x Red LED |
| Fast Flashing | |
| Slow Flashing | |
| Marking | Laser printed onto standart tracing paper, using templates provided bu Klemsan Inc. |

DIMENSIONS

| | |
|-----------------------------------|--------------|
| Frontoverall Dimensions Height Mm | 96 |
| Frontoverall Dimensions Width Mm | 96 |
| Panel Cutout Dimensions Height Mm | 89,5 |
| Panel Cutout Dimensions Width Mm | 89,5 |
| Panel Cutout Dimensions Depth Mm | 66,66 |