

ELECTRONICS PRODUCTS > ENERGY MANAGEMENT PRODUCTS > ALARM ANNUNCIATORS



## LSK-6(48VAC/DC)

**Stock Keeping Unit (SKU):** 583062

*Digital Alarm Annunciator*

### Commercial Information

Product Sales Code	<b>583062</b>
Package Unit	<b>1 pcs.</b>
Customs Tariff Number	<b>853649000029</b>
Weight Per Unit Including Packaging	<b>220g kg.</b>

### Technical Information

General	
Connection Type	<b>Screw terminal</b>
Time Interval	---
Integrated Buttons	---
Siren	---
Real Time Data Recording	---
Battery Life	---
Protection Class	<b>IP50 (front)IP20 (back)</b>
Weight G	<b>220</b>
Packaging Quantity	<b>1</b>
Diagrams	---
DIMENSIONS	---
Power Supply	
Voltage	---

Frequency	---
-----------	-----

## Environmental Conditions

Operating Temperature	<b>-20°C +70°C</b>
Storage Temperature	<b>-30°C +80°C</b>
Relative Humidity Non Condensing	<b>Max. 95%</b>

## Communication

Protocol	---
Baud Rate	---
Parity	---
Stop Bit	
Slave Id	
Isolation	

## Input Signal

Voltage	<b>48V AC / DC</b>
Frequency	<b>Min. 45 Hz (for AC signal input)Min. 45 Hz (for AC signal input)</b>
Quantity	<b>6</b>
Response Time	<b>Maks. 10ms</b>

## Output Connections

Output Type	
Number of Connections	
Type	
Max Values Ac	
Max Values Dc	
Mechanical Operating Life	
Electrical Operating Life No Side	

## Window

Quantity	<b>6</b>
Color	<b>Red</b>

Size Mm	<b>34.85x18.70</b>
Illumination	<b>6 x Red LED</b>
Fast Flashing	
Slow Flashing	
Marking	<b>Laser printed onto standart tracing paper, using templates provided bu Klemsan Inc.</b>

## **DIMENSIONS**

Frontoverall Dimensions Height Mm	<b>96</b>
Frontoverall Dimensions Width Mm	<b>96</b>
Panel Cutout Dimensions Height Mm	<b>89,5</b>
Panel Cutout Dimensions Width Mm	<b>89,5</b>
Panel Cutout Dimensions Depth Mm	<b>66,66</b>