




TERMINAL BLOCKS > PUSH-IN TYPE TERMINAL BLOCKS > FEED THROUGH
TERMINALS

PYK 16 GREY

Stock Keeping Unit (SKU): 307659

Push-in Type, 16 mm² feed-through terminal block

Commercial Information

Product Sales Code	307659
Package Unit	30 pcs.
Customs Tariff Number	853690950000
Weight Per Unit Including Packaging	0.0311 kg.

Technical Information

PRODUCT SPECIFICATIONS	
Number of Connections	2
Number of Levels	1
Insulation Material	PA
UL 94 Flammability Class	V2
Impulse Voltage Category	III
Insulation Material Group	I
Pollution Degree	3
Connection According to Standard	IEC 60947-7-1
Continuous Operating Temperature Max.	120 °C
Continuous Operating Temperature Min.	-55 °C
ELECTRICAL SPECIFICATIONS	
Nominal Impulse Voltage	8 Kv
Nominal Current	76 A

Nominal Voltage	1000 V
Maximum Load Current	85 A
Nominal Current (In / Fuse)	76 A

CONNECTION DATA	
Connection Type	Push-In Connection
Min. Solid Conductor Cross-Sectional Area	0,5 mm²
Max. Solid Conductor Cross-Sectional Area	25 mm²
Conductor Cross-Section AWG/kcmil Min.	20 AWG
Conductor Cross-Section AWG/kcmil Max.	4 AWG
Min. Stranded Conductor Cross-Sectional Area	0,5 mm²
Max. Stranded Conductor Cross-Sectional Area	16 mm²
Min. Stranded Conductor Cross-Sectional Area with Ferrule	0,5 mm²
Max. Stranded Conductor Cross-Sectional Area with Ferrule	16 mm²
Max. for 2 Stranded Conductors of the Same Cross-Section with Plastic-Collared Twin Ferrule	4 mm²
Min. Stripping Length	16 mm
Max. Stripping Length	18 mm
Internal Cylindrical Indicator	B7

DIMENSIONS	
Width	12 mm
Length	81,45 mm
Height MR 35x7.5	49,50 mm
Height MR 35x15	57,00 mm

Certificates

 CSA	 cULus	 VDE	 ATEX	 CE
--	--	--	---	---

UK
CA

UKCA

EAC

EAC



ROHS



CSA

Conductor Cross-section	AWG 20 - 4
Nominal Current	80A
Nominal Voltage	600V

Accessories

END STOP



Product Code: 495049

KD 3 Grey

Product Code: 495059

KD 4 Grey

Product Code: 495219

KD 7 Grey

ZINC COATED



Product Code: 500601

MR 35x7.5 Straight (1m) Zinc Coated Rail

Product Code: 500602

MR 35x7.5 Slotted (1m) Zinc Coated Rail

Product Code: 500606

MR 35x15 Straight (1m) Zinc Coated Rail

ÇINKO KAPLI



Product Code: 500607

MR 35x15 Slotlu (1m) Çinko Kaplı Ray

END PLATE/COVER



Product Code: 450419

NPP/PYK 16 Grey

PLUG-IN CROSS CONNECTOR



Product Code: 470142

UK 16/2



Product Code: 470143

UK 16/3



Product Code: 470144

UK 16/4



Product Code: 470145

UK 16/5

TERMINAL STRIP LABELS



Product Code: 1020100

SLF-P1 W 11,2mm x 15m