



TERMINAL BLOCKS > PUSH-IN TYPE TERMINAL BLOCKS > ELECTRONICS
COMPONENT TERMINALS

PYK 2,5-2F

Stock Keeping Unit (SKU): 307349

Push-in Type, 2,5 mm² 2 layer component terminal block (LED 24V DC) (gray)

Commercial Information

| | |
|-------------------------------------|---------------------|
| Product Sales Code | 307349 |
| Package Unit | 40 pcs. |
| Customs Tariff Number | 853690950000 |
| Weight Per Unit Including Packaging | 0.014 kg. |

Technical Information

| PRODUCT FEATURES | |
|---------------------------------------|----------------------|
| Number of Connections | 4 |
| Color | Grey |
| Number of Levels | 2 |
| Insulation Material | PA |
| UL 94 Flammability Class | V2 |
| Impulse Voltage Category | III |
| Insulation Material Group | I |
| Pollution Degree | 3 |
| Connection According to Standard | IEC-60947-7-1 |
| Continuous Operating Temperature max. | 120 °C |
| Continuous Operating Temperature min. | -55 °C |

| ELECTRICAL FEATURES | |
|-------------------------|-------------|
| Nominal Impulse Voltage | 6 Kv |

| | |
|----------------------|-------------|
| Nominal Current | 24 A |
| Nominal Voltage | 24 V |
| Maximum Load Current | 32 A |

CONNECTION DATA

| | |
|--|----------------------------|
| Connection Type | Push-In Connection |
| Single-core min. conductor cross-section | 0,34 mm² |
| Single-core max. conductor cross-section | 4 mm² |
| Conductor Cross Section Awgkcmil Min | 22 AWG |
| Conductor Cross Section Awgkcmil Min | kcmil |
| Conductor Cross Section Awgkcmil Max | 12 AWG |
| Conductor Cross Section Awgkcmil Max | kcmil |
| Multi-core min. conductor cross-section | 0,34 mm² |
| Multi-core max. conductor cross-section | 2,5 mm² |
| Multi-core min. conductor cross-section with ferrule | 0,25 mm² |
| Multi-core max. conductor cross-section with ferrule | 2,5 mm² |
| 2 Conductors Of The Same Cross Section Multi Core Twin Ferrule With Plastic Sleeve Max | 0,5 mm² |
| Min. Stripping Length | 9 mm |
| Max. Stripping Length | 10 mm |
| Internal cylindrical indicator | A3 |

DIMENSIONS

| | |
|-----------------|-----------------|
| Width | 5 mm |
| Length | 75,30 mm |
| Height Mr 35X75 | 62,90 mm |
| Height MR 35x15 | 70,4 mm |