

ЭЛЕКТРОННАЯ ПРОДУКЦИЯ > РЕЛЕ ЗАЩИТЫ И УПРАВЛЕНИЯ > РЕЛЕ ЗАЩИТЫ ДВИГАТЕЛЯ

## FP1D-ASF 400

Артикул (SKU): 270272

Реле защиты двигателя



### Коммерческая информация

Код продажи продукта	<b>270272</b>
Единица Упаковки	<b>1 шт.</b>
Номер таможенного тарифа	<b>853649000029</b>
Вес за единицу, включая упаковку	<b>0.08 kg.</b>

### Техническая информация

General	
Networks	<b>3Ø without neutral</b>
Connection Type	<b>Screw terminal</b>
Protection Class	<b>IP20</b>
Weight G	<b>80</b>
Packaging Quantity	<b>1</b>
Case Width Mm	<b>18</b>
Mounting Type	<b>Rail Mount</b>
Nominal Voltage	<b>400V</b>
Emc Emi	<b>ok</b>
Power Supply	
Voltage	<b>145-520V LL ±20% AC</b>

Frequency	<b>50-60Hz</b>
Consumption	<b>&lt;13VA AC</b>

### Environmental Conditions

Operating Temperature	<b>-20 to +60°C</b>
Storage Temperature	<b>-40°C +75°C</b>
Relative Humidity Non Condensing	<b>Max. 95% (no condensation)</b>

### Backup Connections

Type	<b>1 C/O (SPDT)</b>
Max Values Ac No Side	<b>10A/250V; 1250 VA</b>
Max Values Dc No Side	<b>5A/30VDC; 150W</b>
Mechanical Operating Life	<b>= 10<sup>7</sup> operations</b>
Electrical Operating Life No Side	<b>5x10<sup>4</sup> (5A@250VAC) 1x10<sup>5</sup> (5A@30VDC)</b>

### Monitoring Functions

Phase Loss Delay Time	<b>500ms ms</b>
Phase Sequence Delay Time	<b>500ms ms</b>
Neutral Loss Delay Time	<b>ms</b>
Asymmetry Protection Rangelimit	<b>± 20%</b>
Asymmetry Protection Hysteresis	<b>3% x Un</b>
Asymmetry Protection Delay Time	<b>500ms</b>
Voltage Protection Upper Limit	
Voltage Protection Lower Limit	
Voltage Protection Delay Time	
Number Of Props For Liquid Level Monitoring	
Liquid Level Monitoring Sensitivity	
Liquid Level Monitoring Delay Time	
Light Intensity Monitoring Limit	
Light Intensity Monitoring Delay Time	
Frequency Protection Upper Limit	
Frequency Protection Lower Limit	
Frequency Protection Delay Time	

Ptc Protection Short Circuit Threshold

Ptc Protection High Value Threshold

Ptc Protection Delay Time