

ЭЛЕКТРОННАЯ ПРОДУКЦИЯ > РЕЛЕ ЗАЩИТЫ И УПРАВЛЕНИЯ > РЕЛЕ КОНТРОЛЯ НАПРЯЖЕНИЯ

## V1U-U.9 230

Артикул (SKU): 270305

Реле защиты двигателя

### Коммерческая информация

Код продажи продукта	<b>270305</b>
Единица Упаковки	<b>1 шт.</b>
Номер таможенного тарифа	<b>853649000029</b>
Вес за единицу, включая упаковку	<b>0.8 kg.</b>

### Техническая информация

General	
Networks	<b>3Ø without neutral</b>
Connection Type	<b>Screw terminal</b>
Protection Class	<b>IP20</b>
Weight G	<b>80</b>
Packaging Quantity	<b>1</b>
Case Width Mm	<b>18</b>
Mounting Type	<b>Rail Mount</b>
Nominal Voltage	<b>230</b>
Emc Emi	<b>ok</b>

Power Supply	
Voltage	<b>85-300V LN ±20% AC</b>
Frequency	<b>50-60Hz</b>
Consumption	<b>&lt;13VA AC</b>

## Environmental Conditions

Operating Temperature	<b>-20 to +60°C</b>
Storage Temperature	<b>-40°C +75°C</b>
Relative Humidity Non Condensing	<b>Max. 95% (no condensation)</b>

## Backup Connections

Type	<b>1 C/O (SPDT)</b>
Max Values Ac No Side	<b>10A/250V; 1250 VA</b>
Max Values Dc No Side	<b>5A/30VDC; 150W</b>
Mechanical Operating Life	<b>= 10<sup>7</sup> operations</b>
Electrical Operating Life No Side	<b>5x10<sup>4</sup> (5A@250VAC) 1x10<sup>5</sup> (5A@30VDC)</b>

## Monitoring Functions

Phase Loss Delay Time	<b>500 ms</b>
Phase Sequence Delay Time	<b>ms</b>
Neutral Loss Delay Time	<b>500 ms</b>
Asymmetry Protection Rangelimit	
Asymmetry Protection Hysteresis	
Asymmetry Protection Delay Time	
Voltage Protection Upper Limit	
Voltage Protection Lower Limit	<b>75% x Un</b>
Voltage Protection Delay Time	<b>5dk .. 15dk</b>
Number Of Props For Liquid Level Monitoring	
Liquid Level Monitoring Sensitivity	
Liquid Level Monitoring Delay Time	
Light Intensity Monitoring Limit	
Light Intensity Monitoring Delay Time	
Frequency Protection Upper Limit	
Frequency Protection Lower Limit	
Frequency Protection Delay Time	
Ptc Protection Short Circuit Threshold	
Ptc Protection High Value Threshold	

Ptc Protection Delay Time

Voltage Protection Hysteresis

**3% x Un**