

ЭЛЕКТРОННАЯ ПРОДУКЦИЯ > ПРОДУКТЫ УПРАВЛЕНИЯ ЭНЕРГИЕЙ > СЧЁТЧИКИ ЭЛЕКТРОЭНЕРГИИ

145-0W-01

Артикул (SKU): 606360

1Ø счетчик энергии



Коммерческая информация

Код продажи продукта	606360
Единица Упаковки	1 шт.
Номер таможенного тарифа	903032009011
Вес за единицу, включая упаковку	0.08 kg.

Техническая информация

General	
Connection Type	1P2W
Real Time Clock	-
Current Connection Type	Direkt Baglantili (45A ya kadar)
Alarm	
Energy Measurement	
Number Of Tariffs	1
Number Of Sub Tariffs	-
Number Of Reactive Measurement Zones	
Energy Measurement Type	Import kWh
Partial Counter	
Balance Energy	

Current Measurement Input

Measuring Range	0,25 .. 45A
-----------------	--------------------

Voltage Measurement Input

Measuring Range L N	100-300V AC
---------------------	--------------------

Measuring Range L L	-
---------------------	---

Power Quality Measurements

Harmonic Measurement Current And Voltage	-
--	---

Thdi	-
------	---

Thdv	-
------	---

Power Supply

Voltage	100-300V AC
---------	--------------------

Frequency	45-65Hz
-----------	----------------

Consumption	<3VA AC
-------------	-------------------

Mechanical Properties

Weight G	80
----------	-----------

Protection Class	IP20
------------------	-------------

Mounting Type	Rail Mount
---------------	-------------------

Environmental Conditions

Operating Temperature	-25°C +50°C
-----------------------	--------------------

Storage Temperature	-25°C +70°C
---------------------	--------------------

Relative Humidity Non Condensing	Max. 80% (no condensation)
----------------------------------	-----------------------------------

Communication

Protocol	
----------	--

Baud Rate	
-----------	--

Parity	
--------	--

Stop Bit	
----------	--

Slave Id	
----------	--

Isolation	
-----------	--

Digital Output

Frequency	5-30 VDC
Number Of Inputs	1 (sabit)
Switched Voltage Range	Transistor
Isolation	3750 Vrms

Digital Input

Number Of Inputs	-
Input Type	-
Isolation	-

Other Measurements

Operating Time Counter	-
Open Time Counter	-
Power Failure Counter	-

Basic Electrical Measurements

Current	
Voltage	
Frequency	
Active Power	
Reactive Power	
Apparent Power	

Cable Cross Sections Power Supply Voltage Relay

multi-core	
Single Core	

Cable Cross Sections Current

multi-core	
Single Core	

Cable Cross Sections Digital Inputoutput Rs485 Analog Output

multi-core	
------------	--

Single Core

Measurement Class

En 50470

62053 21

Class 1

Measurement

Max Min Data

Demand

Led Impulse

Kwh

+

Kvarh