

ЭЛЕКТРОННАЯ ПРОДУКЦИЯ > УДАЛЁННЫЙ ВВОД/ВЫВОД > МНОГОКАНАЛЬНЫЙ



EASION 2M-1Z111

Артикул (SKU): 260012

Удаленный I/O

Коммерческая информация

Код продажи продукта	260012
Единица Упаковки	1 шт.
Номер таможенного тарифа	853710980019

Техническая информация

General

Case Width Mm	(95mmx160mm)x58mm
Mounting Type	Rail Mount

Power Supply

Voltage	24 - 50 V AC / 12 - 50 V DC
Frequency	45-65 Hz
Consumption	<13VA AC / <7W

Mechanical Properties

Weight G	
Packaging Quantity	1

Environmental Conditions

Operating Temperature	-20 to +70 °C
Storage Temperature	-20°C..+70°C
Relative Humidity Non Condensing	Max.95% (no condensation)

Digital Output

Number Of Outputs	24
Switching Current Voltage	50mA / 5-30V DC
Response Time	<18µs

Relay Output

Number Of Outputs	
Max Switching Current	
Max Switching Current Voltage Power	

Input Dry Contact

Number Of Inputs	
------------------	--

Inputs Wet Contact

Number Of Inputs	
Input Voltage	
Input Current	
Frequency	
Isolation Level	

Communication Rs485 Modbus Rtu

Baud Rate	1200 .. 115200
Stop Bit	1,2
Slave Id	1 ..247

Communication Micro Usb Modbus Rtu

Baud Rate	-
Stop Bit	-
Slave Id	-

Communication Http Rest

Interface	
Baud Rate	

Communication Modbus Tcp

Interface

Communication Mqtt Http Rest

Interface

Communication Rs232 Modbus Rtu

Baud Rate	1200 .. 115200
-----------	-----------------------

Stop Bit	1,2
----------	------------

Slave Id	1 ..247
----------	----------------