

ЭЛЕКТРОННАЯ ПРОДУКЦИЯ > УДАЛЁННЫЙ ВВОД/ВЫВОД > МНОГОКАНАЛЬНЫЙ



EASION 5M-LL111-D

Артикул (SKU): 260304

Удаленный I/O

Коммерческая информация

Код продажи продукта	260304
Единица Упаковки	1 шт.
Номер таможенного тарифа	853710980019

Техническая информация

General

Case Width Mm	(95mmx160mm)x58mm
Mounting Type	Rail Mount

Power Supply

Voltage	24 - 50 V AC / 12 - 50 V DC
Frequency	45-65 Hz
Consumption	<13VA AC / <7W

Mechanical Properties

Weight G	
Packaging Quantity	1

Environmental Conditions

Operating Temperature	-20 to +70 °C
Storage Temperature	-20°C..+70°C

Relative Humidity Non Condensing

Max.95% (no condensation)

Digital Output

Number Of Outputs

Switching Current Voltage

Response Time

Relay Output

Number Of Outputs

12

Max Switching Current Voltage Power

50mA / 5-30V DC

Input Dry Contact

Number Of Inputs

12

Inputs Wet Contact

Number Of Inputs

Input Voltage

Input Current

Frequency

Isolation Level

Communication Rs485 Modbus Rtu

Baud Rate

Stop Bit

Slave Id

Communication Micro Usb Modbus Rtu

Baud Rate

Stop Bit

Slave Id

Communication Http Rest

Interface

Micro USB

Baud Rate

38400

Communication Modbus Tcp

Interface	+
-----------	---

Communication Mqtt Http Rest

Interface	Ethernet 10/100 Base - TX
-----------	----------------------------------

Communication Rs232 Modbus Rtu

Baud Rate	1200 .. 115200
-----------	-----------------------

Stop Bit	1,2
----------	------------

Slave Id	1 ..247
----------	----------------
