

ЭЛЕКТРОННАЯ ПРОДУКЦИЯ > РЕЛЕ ЗАЩИТЫ И УПРАВЛЕНИЯ >  
УНИВЕРСАЛЬНЫЕ КОНТРОЛЬНЫЕ РЕЛЕ

## K1TW-D7 20K

Артикул (SKU): 270298

Реле защиты двигателя



### Коммерческая информация

Код продажи продукта	<b>270298</b>
Единица Упаковки	<b>1 шт.</b>
Номер таможенного тарифа	<b>853649000029</b>
Вес за единицу, включая упаковку	<b>0.08 kg.</b>

### Техническая информация

General	
Networks	
Connection Type	<b>Screw terminal</b>
Protection Class	<b>IP20</b>
Weight G	<b>80</b>
Packaging Quantity	<b>1</b>
Case Width Mm	<b>18</b>
Mounting Type	<b>Rail Mount</b>
Nominal Voltage	
Emc Emi	<b>ok</b>
Power Supply	
Voltage	<b>24-265 V DC / 24-265 V AC</b>

Frequency	<b>50-60Hz</b>
Consumption	<b>&lt;13VA AC</b>

### Environmental Conditions

Operating Temperature	<b>-20 to +60°C</b>
Storage Temperature	<b>-40°C +75°C</b>
Relative Humidity Non Condensing	<b>Max. 95% (no condensation)</b>

### Backup Connections

Type	<b>1 C/O (SPDT)</b>
Max Values Ac No Side	<b>10A/250V; 1250 VA</b>
Max Values Dc No Side	<b>5A/30VDC; 150W</b>
Mechanical Operating Life	<b>= 10<sup>7</sup> operations</b>
Electrical Operating Life No Side	<b>5x10<sup>4</sup> (5A@250VAC) 1x10<sup>5</sup> (5A@30VDC)</b>

### Monitoring Functions

Phase Loss Delay Time	<b>ms</b>
Phase Sequence Delay Time	<b>ms</b>
Neutral Loss Delay Time	<b>ms</b>
Asymmetry Protection Rangelimit	
Asymmetry Protection Hysteresis	
Asymmetry Protection Delay Time	
Voltage Protection Upper Limit	
Voltage Protection Lower Limit	
Voltage Protection Delay Time	
Number Of Props For Liquid Level Monitoring	
Liquid Level Monitoring Sensitivity	
Liquid Level Monitoring Delay Time	
Light Intensity Monitoring Limit	<b>1-20 lux</b>
Light Intensity Monitoring Delay Time	<b>"ton= 1 .. 60 sn / toff= 1 - 60 sn"</b>
Frequency Protection Upper Limit	
Frequency Protection Lower Limit	
Frequency Protection Delay Time	

Ptc Protection Short Circuit Threshold

Ptc Protection High Value Threshold

Ptc Protection Delay Time

Voltage Protection Hysteresis

---