

ЭЛЕКТРОННАЯ ПРОДУКЦИЯ > УДАЛЁННЫЙ ВВОД/ВЫВОД > МНОГОКАНАЛЬНЫЙ



EASION 3M-1Z111

Артикул (SKU): 260101

Удаленный I/O

Коммерческая информация

Код продажи продукта	260101
Единица Упаковки	1 шт.
Номер таможенного тарифа	853710980019

Техническая информация

General

Case Width Mm	(95mmx160mm)x58mm
Mounting Type	Rail Mount

Power Supply

Voltage	24 - 50 V AC / 12 - 50 V DC
Frequency	45-65 Hz
Consumption	<13VA AC / <7W

Mechanical Properties

Weight G	
Packaging Quantity	1

Environmental Conditions

Operating Temperature	-20 to +70 °C
Storage Temperature	-20°C..+70°C
Relative Humidity Non Condensing	Max.95% (no condensation)

Digital Output

Number Of Outputs

Switching Current Voltage

Response Time

Relay Output

Number Of Outputs

Max Switching Current Voltage Power

Input Dry Contact

Number Of Inputs

Inputs Wet Contact

Number Of Inputs

24

Input Voltage

12 - 230 V AC/DC

Input Current

1 mA at 5V AC/DC-2,5 mA at 24V AC/DC-4 mA at 230V AC/DC

Frequency

45-65 Hz

Isolation Level

5000Vrms optical insulation

Communication Rs485 Modbus Rtu

Baud Rate

1200 .. 115200

Stop Bit

1,2

Slave Id

1 ..247

Communication Micro Usb Modbus Rtu

Baud Rate

-

Stop Bit

-

Slave Id

-

Communication Http Rest

Interface

Baud Rate

Communication Modbus Tcp

Interface

+

Communication Mqtt Http Rest

Interface

Communication Rs232 Modbus Rtu

Baud Rate

1200 .. 115200

Stop Bit

1,2

Slave Id

1 ..247