



Cable Marking Solutions KCKKS Series Transparent Tube

Transparent tube cable marking solutions enable orderly, safe, and long-lasting marking of cables. By protecting the text from external factors, it provides maximum performance especially in industrial applications.




TTKP Series (Roll Type Transparent Tube Label)

- It is designed for use with transparent tubes for marking cables and conductors.
- It is produced in roll form from **0.25 mm** thick polyethylene (PE) material.
- Since it is placed inside the transparent tube, the print is protected against external factors.
- The writing area has a height of 4 mm.
- **The printed cell is detached, folded in half, and placed into the label section of the transparent tube.**




KIP_NS Series (Plate Type Transparent Tube Label)

- It is designed in plate form for use with transparent tubes for marking cables and conductors.
- It is produced from **2 mm** thick PVC material.
- Since it is placed inside the transparent tube, the print is protected against external factors.
- The writing area has a width of 4 mm.
- **The printed cells are detached one by one from the plate and placed into the label section of the transparent tube.**



KCPM Series (Card Type Transparent Tube Label)

- It is designed in plate form for use with transparent tubes for marking cables and conductors.
- It is produced from **0.50 mm** thick PVC material.
- Since it is placed inside the transparent tube, the print is protected against external factors.
- The writing area has a width of 4 mm.
- **The printed cells are detached one by one from the plate and placed into the label section of the transparent tube.**




Product Features

- Transparent PVC material
- -20° / +80° temperature resistance
- Resistant to chemicals
- Compatible with different cable cross-sections (0.5 mm² to 25 mm² range)
- Compatible with thermal transfer printer labels

Advantages

- Resistant to external factors
- Easy installation and application
- Clear visibility and permanent marking
- Professional appearance



Product Dimensions & Label Selections

	0.5 - 1.5 mm ²	1.5 - 2.5 mm ²	2.5 - 4 mm ²	6 - 10 mm ²	16 - 25 mm ²
KCKKS 10	KCPM 4x10	KCPM 4x10	KCPM 4x10	KCPM 4x10	KCPM 4x10
	TTKP 8x10	TTKP 8x10	TTKP 8x10	TTKP 8x10	TTKP 8x10
	KIP_NS 10	KIP_NS 10	KIP_NS 10	KIP_NS 10	KIP_NS 10
KCKKS 15	KCPM 4x15	KCPM 4x15	KCPM 4x15	KCPM 4x15	KCPM 4x15
	TTKP 8x15	TTKP 8x15	TTKP 8x15	TTKP 8x15	TTKP 8x15
	KIP_NS 15	KIP_NS 15	KIP_NS 15	KIP_NS 15	KIP_NS 15
KCKKS 23	KCPM 4x23	KCPM 4x23	KCPM 4x23	KCPM 4x23	KCPM 4x23
	KIP_NS 23	KIP_NS 23	KIP_NS 23	KIP_NS 23	KIP_NS 23
KCKKS 30	KCPM 4x30	KCPM 4x30	KCPM 4x30	KCPM 4x30	KCPM 4x30
	TTKP 8x30	TTKP 8x30	TTKP 8x30	TTKP 8x30	TTKP 8x30


Applications



Electrical panels



Automation panels



Machine manufacturing



Energy facilities



Transportation systems

KCKKS Series

Order No	Product	Color	Package Quantity
809 100	KCKKS 10 / 0.5-1.5 mm ²	Transparent	500 pcs
809 110	KCKKS 15 / 0.5-1.5 mm ²	Transparent	500 pcs
809 120	KCKKS 18 / 0.5-1.5 mm ²	Transparent	500 pcs
809 130	KCKKS 23 / 0.5-1.5 mm ²	Transparent	500 pcs
809 140	KCKKS 30 / 0.5-1.5 mm ²	Transparent	500 pcs
809 150	KCKKS 10 / 1.5-2.5 mm ²	Transparent	500 pcs
809 160	KCKKS 15 / 1.5-2.5 mm ²	Transparent	500 pcs
809 170	KCKKS 18 / 1.5-2.5 mm ²	Transparent	500 pcs
809 180	KCKKS 23 / 1.5-2.5 mm ²	Transparent	500 pcs
809 190	KCKKS 30 / 1.5-2.5 mm ²	Transparent	500 pcs
809 200	KCKKS 10 / 2,5-4 mm ²	Transparent	500 pcs
809 210	KCKKS 15 / 2,5-4 mm ²	Transparent	500 pcs
809 220	KCKKS 18 / 2,5-4 mm ²	Transparent	500 pcs
809 230	KCKKS 23 / 2,5-4 mm ²	Transparent	500 pcs
809 240	KCKKS 30 / 2,5-4 mm ²	Transparent	500 pcs
809 250	KCKKS 10 / 6-10 mm ²	Transparent	500 pcs
809 260	KCKKS 15 / 6-10 mm ²	Transparent	500 pcs
809 270	KCKKS 18 / 6-10 mm ²	Transparent	500 pcs
809 280	KCKKS 23 / 6-10 mm ²	Transparent	500 pcs
809 290	KCKKS 30 / 6-10 mm ²	Transparent	500 pcs
809 300	KCKKS 10 / 16-25 mm ²	Transparent	500 pcs
809 310	KCKKS 15 / 16-25 mm ²	Transparent	500 pcs
809 320	KCKKS 18 / 16-25 mm ²	Transparent	500 pcs
809 330	KCKKS 23 / 16-25 mm ²	Transparent	500 pcs
809 340	KCKKS 30 / 16-25 mm ²	Transparent	500 pcs

KCPM Series

Order No	Product	Writing Area (mm)	Color	Number of Cells in Card	Package Quantity
808 951	KCPM-W 4x10	4x10	White	112	2240 cells
808 952	KCPM-W 4x15	4x15	White	80	1600 cells
808 953	KCPM-W 4x23	4x23	White	64	1280 cells
808 954	KCPM-W 4x30	4x30	White	48	960 cells
809 001	KCPM-Y 4x10	4x10	Yellow	112	2240 cells
809 002	KCPM-Y 4x15	4x15	Yellow	80	1600 cells
809 003	KCPM-Y 4x23	4x23	Yellow	64	1280 cells
809 004	KCPM-Y 4x30	4x30	Yellow	48	960 cells

KIP_NS Series

Order No	Product	Writing Area (mm)	Color	Number of Cells in Plate	Package Quantity
818 001	KIP_NS 10 W	4x10	White	78	1170 cells
818 101	KIP_NS 15 W	4x15	White	52	780 cells
818 201	KIP_NS 18 W	4x18	White	52	780 cells
818 301	KIP_NS 23 W	4x23	White	52	780 cells

TTKP Series

Order No	Product	Writing Area (mm)	Color	Number of Rows	Package Quantity
808 158	TTKP 8x10	4x10	Yellow / White	4	4000 cells
808 159	TTKP 8x15	4x15	Yellow / White	4	4000 cells
808 160	TTKP 8x30	4x30	Yellow / White	2	4000 cells